

The Design Center



BOFFO®

— ADORABLE SURFACES —


Abstract

collection

Each piece showcases the craftsmanship and attention to detail the mid-century style is famed for, with clean lines and geometric shapes. This collection is the perfect choice for those who want to add a touch of luxury, exclusivity and a nod to the past in their spaces.


The metallic décor brings an extra hint of luxury and sophistication to this captivating collection. Copper-toned accents highlight the geometric designs and enhance the beauty of each piece, adding a warm glow and a contemporary look. The contrast between wood and metal creates a visually striking combination.

800x1600mm
Granula Surface



The History of Art

Attraction for new talent, spokesman for Italian ceramic excellence in the world. Our history reveals an innate vocation for ceramic manufacturing that led to conscious growth over time under the banner of recognisable, sustainable and high-profile design. Creativity, innovation and research are the essential tools for developing projects and products inspired by the respect and well-being of people and the environment, a synthesis of the values we want to share with our community.




To.

We Love Creating





Where Dreams Take Decor with multi Base color



Thanks to this richness of range, the result of the careful design of the Style Office, it is possible to combine the very small size with the giant, playing with contrasts, colours and graphics, colour palettes, graphics, regular and irregular shapes, matt and satin effects.



Welcome To Boffo's



Equinox Botanic



Equinox Pale



Equinox Mayfly




Equinox Menta



Equinox Templeton



Equinox Retro



Equinox Goose



Equinox Nobel



Equinox Forged



Equinox Dimgrey



Equinox Plaudit



Equinox Harbour

World of colors



Equinox Toledo



Equinox Aesthetic



Equinox Peach




Equinox Fango



Equinox Cinnamon



Equinox Saffron



Oropesa Crema



Oropesa Coarse




Oropesa Bianco



Oropesa Grey




Oropesa Nero



To. *Equinox Botanic*

800x1600mm, Granula Surface, 04 Random





Equinox Mayfly



Equinox Templeton



Equinox Pale

Pale



Mayfly



Templeton




Menta

Equinox
Series

*800x1600mm,
Granula
Surface,
04 Random*



Equinox Botanic



Equinox Pale



Equinox Mayfly




Equinox Menta



Equinox Templeton



Click on any tile for  View



To.

Equinox Retro



Equinox Forged



Equinox Goose



Equinox Nobel



Equinox Dimgrey



Equinox Plaudit

Goose



Nobel



Forged



Dimgrey



Plaudit




Harbour




Toledo

Equinox
Series

*800x1600mm,
Granula
Surface,
04 Random*



Equinox Retro



Equinox Goose



Equinox Nobel



Equinox Forged



Equinox Dimgrey



Equinox Plaudit




Equinox Harbour



Equinox Toledo



Click on any tile for  View



To. *Equinox Aesthetic*

800x1600mm, Granula Surface, 04 Random





Equinox Peach



Equinox Fango



Equinox Cinnamon





Equinox Saffron

Peach



Fango



Cinnamon



Saffron

Equinox
series

*800x1600mm,
Granula
Surface,
04 Random*



Equinox Aesthetic



Equinox Peach



Equinox Fango



Equinox Cinnamon



Equinox Saffron




Click on any tile for  View



To. *Oropesa*

800x1600mm, Granula Surface, 04 Random






Oropesa Nero

Crema



Coarse



Bianco



Grey



Nero

Oropesa
Series

*800x1600mm,
Granula
Surface,
04 Random*



Oropesa Crema



Oropesa Coarse



Oropesa Bianco



Oropesa Grey



Oropesa Nero



Click on any tile for  View



TECHNICAL SPECIFICATION

PACKING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	WEIGHT	COVERAGE AREA
1	VITRIFIED TILES	800x1600mm	9mm	2	52 kg	2.56 Sq. Mtr.

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
----------------	--	----------------------------	--------------------------	-------------

REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min 90%	Min 4%	GLOSSOMETER

STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5

SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101

THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11

CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14

SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15



BOFFO GRANITO L.L.P

*At Dhuva, Survey No 170/2, Nr. Big Tiles, NH 8A,
Wankaner, Morbi- 363621, Gujarat- India*

EMAIL US:

*marketing@boffogranito.com
export@boffogranito.com*

CALL US:

*+91 98259 23401
+91 91060 39994*

Design By  **360
Branding
Studio**