



**BOFFO**®

— ADORABLE SURFACES —

*endless*

**Rich  
Texturing,  
Tones And  
Shading.**

# ENDLESS



The Endless collection by Boffo is an ode to impeccably fine design and craftsmanship. Both of these factors contribute to giving your space an edgy look that you have been wanting to uplift your surroundings.

Surface  
With An  
Endless  
Architect  
Character



800x1600mm



Minimal



Beauty



# Product

## Reflections Of Purity.

800x  
1600mm

## Transforming ordinary spaces into extraordinary


This collection from Boffo is synonymous with elegance, luxury, and influence that evolves ordinary spaces into extraordinary ones. This collection is available in a versatile size of 800x1600 MM and an array of design ideal for application in various sizes.

# Advantages



### Aesthetic appeal

Special textured surface and tile design make these tiles highly appealing. It comes in different textures and designs.



### Higher Thickness

Higher thickness of 09mm makes this collection ideal for application in any outdoor area.



### Long lasting

A. Extremely high resistant to loads and traffic due to high impact resistance.  
B. Higher wear and abrasion resistance  
C. Higher resistance to polluting chemicals



### Resistant to color fading

Endless tiles do not lose their original colour and hue in direct sunlight.



### Weather Resistant:

Endless Collection is resistant to extreme weathering conditions. Also, these tiles are resistant to climatic shocks, do not suffer in extreme weather conditions such as high-temperature variations, rains, etc.




### Slip Resistance

For outdoor application, Endless tiles collection meets the requirement of floors with higher slip resistance. This collection comes with an Rio level of slip resistance.



### Maintenance Free

Endless tiles collection is easy to clean and maintain. It has better stain resistance.



**COMBINING DIFFERENT TILES TRULY GIVES  
YOU ENDLESS POSSIBILITIES!**

*endless*

**FEATURES**



High  
Durability



Acid  
Resistance



Stain  
Resistance



Easy to  
Clean



Maintenance  
Free



Dimensional  
Stability







Slip  
Resistance



Eco  
Friendly

# INDEX

Click on the slabs below to view their separators.





**ALABANA BIANCO**



**ALABANA BIANCO**




Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





ALABANA NATURAL

**ALABANA NATURAL**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**ALLISON BIANCO**

**ALLISON BIANCO**


Size :  
800x1600mm

Finish :  
Glossy-Endless




Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**ATLANTIC BEIGE**

**ATLANTIC BEIGE**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





ATLANTIC GREY

**ATLANTIC GREY**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**BRECCIA NATURAL**

**BRECCIA NATURAL**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





2013011514

CALACATTA GOLD

**CALACATTA GOLD**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





CALACATTA LUX

**CALACATTA LUX**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





25th Main Hall

**CELESTE GREY**


Size :  
800x1600mm

Finish :  
Glossy-Endless




Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





T HOTEL RESORT

T HOTEL RESORT

COSMIC IVORY

**COSMIC IVORY**


Size :  
800x1600mm

Finish :  
Glossy-Endless



Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**CREMA ROYAL**

**CREMA ROYAL**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**FLUENTE GREY**

**FLUENTE GREY**


Size :  
800x1600mm

Finish :  
Glossy-Endless


Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**GROSERO BEIGE**

**GROSERO BEIGE**


Size :  
800x1600mm

Finish :  
Glossy-Endless


Thickness :  
09mm


Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





ITALIAN STATUARIO

**ITALIAN STATUARIO**


Size :  
800x1600mm

Finish :  
Glossy-Endless


Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





LOTUS CAMILO

**LOTUS CAMILO**


Size :  
800x1600mm

Finish :  
Glossy-Endless


Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual





LOTUS CREMA

**LOTUS CREMA**


Size :  
800x1600mm

Finish :  
Glossy-Endless





Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





LUCCA BIANCO

**LUCCA BIANCO**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





HOTEL AVENUE

HOTEL AVENUE

ONYX VENATO

**ONYX VENATO**


Size :  
800x1600mm

Finish :  
Glossy-Endless


Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





ONICE CIELO

**ONICE CIELO**


Size :  
800x1600mm

Finish :  
Glossy-Endless


Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**ONICE ICE BLUE**

**ONICE ICE BLUE**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**



*good*  
**FOOD**  
*good*  
**WINE**  
*good*  
**FRIENDS**  
*good*  
**TIMES**

**ONICE ICE MIELE**

**ONICE ICE MIELE**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**RHINO PANACHE**

# RHINO PANACHE


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**RIZZONT BEIGE**

**RIZZONT BEIGE**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





RIZZONT BIANCO

**RIZZONT BIANCO**


Size :  
800x1600mm

Finish :  
Glossy-Endless



Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**RIZZONT BROWN**

**RIZZONT BROWN**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**



vlioia  
HOTEL

SASSARI MIST

**SASSARI MIST**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**SILVER SHADOW**

**SILVER SHADOW**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**SMOKEY MINK**



**SMOKEY MINK**




Size :  
800x1600mm

Finish :  
Glossy-Endless


Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**SMOKEY PEACH**



**SMOKEY PEACH**




Size :  
800x1600mm

Finish :  
Glossy-Endless




Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**STATUARIO MULTI**

**STATUARIO MULTI**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**STATUARIO NAIS**

**STATUARIO NAIS**


Size :  
800x1600mm

Finish :  
Glossy-Endless


Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**STONEMOOD AVOTIO**

**STONEMOOD AVOTIO**


Size :  
800x1600mm

Finish :  
Glossy-Endless




Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





**STONEMOOD GREIGE**

**STONEMOOD GREIGE**


Size :  
800x1600mm

Finish :  
Glossy-Endless

Thickness :  
09mm

Random :  
04

**EDGE**  
Collection



Touch for Virtual  
**360°**





## TECHNICAL SPECIFICATION

TEST DESCRIPTION	TEST METHOD	ISO STANDARD 13006 B1a TILES	VALUE
Length and width	BS EN ISO 10545-2	± 0.6%	± 0.3%
Thickness	BS EN ISO 10545-2	± 5.0%	± 3.0%
Straightness of sides	BS EN ISO 10545-2	± 0.5%	± 0.3%
Rectangularity	BS EN ISO 10545-2	± 0.6%	± 0.3%
Surface flatness	BS EN ISO 10545-2	± 0.5%	± 0.3%
Water absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.05%
Breaking strength	BS EN ISO 10545-4	≥ 1300N	≥ 1500N
Modulus of rupture	BS EN ISO 10545-4	≥ 35 N/mm <sup>2</sup>	≥ 45N/mm <sup>2</sup>
Resistance to deep abrasion	BS EN ISO 10545-6	≤ 175mm <sup>3</sup>	≤ 150mm <sup>3</sup>
Linear thermal expansion	BS EN ISO 10545-8	≤ 9 x 10 <sup>-8</sup> °C <sup>1</sup>	≤ 7 x 10 <sup>-6</sup> °C <sup>1</sup>
Thermal shock resistance	BS EN ISO 10545-9	No visible defect	No visible defect
Frost resistance	BS EN ISO 10545-12	Frost proof	Frost proof
Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
Resistance to stain	BS EN ISO 10545-14	Manufacturer to state class	Stains removed Min. Class 2
Colour resistance	BS EN ISO 10545-16	No damage	No damage
Colour resistance to UV Light	DIN 51094	No change in color	No change in color
Scratch hardness(MOH's Scale)	EN 101	≥ 6 MOHS	≥ 7 MOHS
Surface quality	BS EN ISO 10545-2	Min. 95%	No visible defect
Skid resistance (friction co-efficient)	BS EN ISO 10545-17	> 0.4	>0.4
Moisture Expansion	-	Nil	Nil

## Packing Details

Size	Pcs. / Box	Weight (Approx)	Thickness (Approx)	Sq. / Box
800x1600mm	02	50.5 kg	9mm	27.55



**BOFFO GRANITO L.L.P.**

At Dhuva, Survey No 170/2, Nr. Big Tiles, NH 8A, Wankaner,  
Morbi - 363621, Gujarat-india.

marketing@[boffogranito.com](mailto:boffogranito.com) | export@[boffogranito.com](mailto:boffogranito.com)

**CALL US**  
**+91 98259 23401, +91 91060 39994**