


monolith

VOGUSH SURFACES



1200x
1800mm

COMPANY STRENGTH

65k

Sq. mtrs building area

5k


Sq. mtrs office area

92k

Sq. mtrs land area

4M

Sq. mtrs production
capacity/year



24 YEARS *of*
EXCELLENCE

A part of the Murano group of companies, Monolith is a new-age and uprising manufacturer and exporter of large-format ceramic tiles. We are rooted in India, creating products in-line with contemporary trends of architecture to deliver excellent and lavish experiences all across the world with our voguish surfaces.

WE ARE MONOLITH

Our slabs are designed within a framework that finds a blend of modern edge and classic vitality to become an essential choice for the future architectural and interior design style. This superior quality is achieved through research and innovation. We at Monolith believe in living life king size and our grand tiles are designed to evoke luxury and grandeur in every place they are installed.

50+
Designs

2+
Shades

2+
Surfaces


BRINGING THE
SURFACE EXPERIENCE
TO ANOTHER LEVEL...

**1200x
1800mm**

The collections from
Monolith are an ode to
colossal size and
extravagant ambiance
and taking the same
experience to another
level we bring you the
colossal size of
1200x1800mm in
luxuriously glossy finish
and versatile 9mm
thickness for spaces
sophisticated, functional,
and extravagant.

**GLOSSY
FINISH**
9mm THICKNESS

ARCHITECTURAL MARVEL WITH TECHNOLOGICAL ADVANTAGE



- Abrasion-Resistant Glaze Layer
- High Pigment Digital Printing Ink
- Glaze Layer
- Engobe Layer
- Tile Body

GLAZED VITRIFIED TILES

Tile Body

The finest quality raw materials make up the resilient and robust tile body of Monolith tiles. The raw materials are ethically sourced and sustainably processed.

Engobe Layer

A highly opacous, fusible, and permeable engobe layer makes the second layer of the tiles of Monolith. The layer makes the tiles highly resistant to water absorption for longevity.

Glaze Layer

A high-quality glaze coating is added to the engobe layer of the Monolith tiles giving the tile properties of texture and shine and making them ready for design and color.

High Pigment Digital Printing Ink

The Monolith surfaces get their unique and versatile properties of the design, color, and more in this stage where digital printing is done on the glaze with high pigment ink for excellent results.

Abrasion-resistant Glaze Layer

The most exceptional aspect of Monolith surfaces is their high abrasion-resistant glaze layer which protects the tile's aesthetics, and properties and enhances the functionality of the tiles to a greater extent.

SURFACES THAT EMULATE THE MOST COVETED NATURAL STONE!

MARBLE
COLLECTION





EASY TO CLEAN

Superiorly non-porous surfaces are easy to clean due to their resistance qualities and flawless finish.



SCRATCH RESISTANT

Made to endure and sustain, the surfaces are scratch resistant, resisting deep scratches and more.



Prevents Bacterial Growth



Dimensional Stability



Fire Resistant



Heat Resistant



Ecological

TECHNICAL FEATURES



STAIN RESISTANT

Superior impregnable glaze layer and non-porous quality make the Monolith surfaces superiorly stain resistant.

APPLICATION AREAS

Superior durability, applicability, and functionality make the Monolith surfaces ideal for extensive use and versatile application.



Residence



Offices



Shops



Hotels



Public Places



Airports



Malls

WITNESS
UNMATCHED
ELEGANCE
WITH
UNPARALLELED
FUNCTIONALITY.

monolith
VOGUE SURFACES

SUPER WHITE

Enjoy the luxury of self-expression in your spaces with a pristine collection of tiles designed to add the scintillating charm of pure white colors and instill unmatched luxury in your spaces transforming them into a canvas for you to paint your dream home.

1200x
1800mm

Glossy Finish | 9mm thickness



Floor
CALACATTA AVERIO

Size
1200x1800mm

Thickness
9 mm

monolith[®]
VOGUSH SURFACES



CALACATTA AVERIO



RANDOM 4 FACES

Finish: Super White Glossy


Floor
Calacatta Bromo

Wall
Calacatta Bromo


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



CALACATTA BROMO



RANDOM 3 FACES

Finish: Super White Glossy

Floor
Calacatta Vagli

Wall
Calacatta Vagli


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



CALACATTA VAGLI



RANDOM 4 FACES

Finishes: Super White Glossy | Porse

Floor
Calacatta Gold

Wall
Calacatta Gold


Size
1200x1800mm

Thickness
9mm

monolith
VOGUISH SURFACES



CALACATTA GOLD



RANDOM 4 FACES


Finishes: Super White Glossy | Porse

Floor
Retro White


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



RETRO WHITE



RANDOM 4 FACES

Finishes: Super White Glossy | Porse

Floor
Statuario Arco

Wall
Statuario Arco

Size
1200x1800mm

Thickness
9mm

monolith
VOGUEISH SURFACES



STATUARIO ARCO



RANDOM 5 FACES

Finishes: Super White Glossy | Porse

Floor
Statuario Oracle

Wall
Statuario Oracle


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



STATUARIO ORACLE



RANDOM 4 FACES

Finishes: Super White Glossy | Porse


Floor
Statuario Berlin

Wall
Statuario Berlin


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



STATUARIO BERLIN



RANDOM 4 FACES


Finishes: Super White Glossy | Porse

Floor
PLAIN WHITE


Size
1200x1800mm

Thickness
9 mm

monolith[®]
VOGUSH SURFACES



PLAIN WHITE



RANDOM 4 FACES

Finish: Super White Glossy

GLOSSY FINISH

Opulence has another name with the lustrous and superiorly brilliant finish from the House of Monolith designed to make your spaces look bigger and more luxurious. The elegant finish is versatile for spaces residential, commercial, or public.

1200x
1800mm

9 mm thickness



Floor
Avira Bianco

Wall
Avira Bianco


Size
1200x1800mm

Thickness
9mm

monolith
VOGUEISH SURFACES



AVIRA BIANCO



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Avira Beige

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



AVIRA BEIGE



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Endless Fenix White


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS FENIX WHITE



RANDOM 3 FACES


Finish: Glossy

Floor
Lyris White


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



LYRIS WHITE



RANDOM 3 FACES


Finishes: Glossy | Porse

Floor
Ornato White


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ORNATO WHITE



RANDOM 4 FACES

Finish: Glossy


Floor
Perlino Pearl

Wall
Perlino Pearl

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



PERLINO PEARL



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Terix Pearl

Size
1200x1800mm | Thickness
9mm

monolith
VOGUSH SURFACES



TERIX PEARL



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Endless Orion Bianco


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS ORION BIANCO



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Endless Orion Silver

Wall
Endless Orion Silver

Size
1200x1800mm

Thickness
9mm

monolith
VOGUE SURFACES



ENDLESS ORION SILVER



RANDOM 4 FACES

Finish: Glossy

Floor
Endless Orion Beige

Wall
Endless Orion Beige

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS ORION BEIGE



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
ENDLESS ORION TAUPE

Wall
ENDLESS ORION TAUPE

Size
1200x1800mm

Thickness
9 mm

monolith[®]
VOGUSH SURFACES



ENDLESS ORION TAUPE



RANDOM 4 FACES


Finish : GLOSSY

Floor
Endless Ciena Bianco


Size
1200x1800mm

Thickness
9mm

monolith
VOGUE SURFACES



ENDLESS CIENA BIANCO



RANDOM 3 FACES

Finish: Glossy

Floor
Endless Ciena Crema


Size
1200x1800mm

Thickness
9mm

monolith
VOGUEISH SURFACES



ENDLESS CIENA CREMA



RANDOM 3 FACES


Finish: Glossy

Floor
Endless Dover Bianco

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS DOVER BIANCO



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Endless Dover Grey

Size
1200x1800mm | Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS DOVER GREY



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Endless Dover Crema


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS DOVER CREMA



RANDOM 4 FACES


Finishes: Glossy | Porse

Floor
Endless Dover Taupe

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS DOVER TAUPE



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Endless Polaris Crema

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS POLARIS CREMA



RANDOM 3 FACES


Finishes: Glossy | Porse

Floor
Endless Prisma White


Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS PRISMA WHITE



RANDOM 4 FACES


Finishes: Glossy | Porse

Floor
Endless Prisma Crema

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS PRISMA CREMA



RANDOM 4 FACES


Finishes: Glossy | Porse

Floor
Endless Vivid Bianco

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS VIVID BIANCO



RANDOM 4 FACES

Finishes: Glossy | Porse


Floor
Endless Vivid Crema

Wall
Endless Vivid Crema

Size
1200x1800mm

Thickness
9mm

monolith
VOGUEISH SURFACES



ENDLESS VIVID CREMA



RANDOM 4 FACES


Finish: Glossy

Floor
Endless Burberry Crema

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS BURBERRY CREMA



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Endless Burberry Taupe

Size
1200x1800mm

Thickness
9mm

monolith
VOGUEISH SURFACES



ENDLESS BURBERRY TAUPE



RANDOM 4 FACES


Finishes: Glossy | Porse

Floor
Endless Nicole Beige

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS NICOLE BEIGE



RANDOM 4 FACES

Finish: Glossy

Floor
Endless Rafter Crema

Size
1200x1800mm

Thickness
9mm

monolith
VOGUISH SURFACES



ENDLESS RAFTER CREMA



RANDOM 4 FACES

Finishes: Glossy | Porse

Floor
Endless Vermont Pearl

Wall
Endless Vermont Pearl

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS VERMONT PEARL



RANDOM 3 FACES

Finish: Glossy

Floor
Endless Gravel Ice

Wall
Endless Gravel Ice

Size
1200x1800mm

Thickness
9mm

monolith
VOGUSH SURFACES



ENDLESS GRAVEL ICE



RANDOM 3 FACES

Finish: Glossy

Floor
Endless Michelangelo

Wall
Endless Michelangelo

Size
1200x1800mm

Thickness
9mm

monolith
VOGUISH SURFACES



ENDLESS MICHELANGELO



RANDOM 4 FACES


Finish: Porse

TECHNICAL SPECIFICATION


CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MEAN VALUE OF MONOLITH PGVT	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES			
Water absorption	< 0.50 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 35 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1700 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOHs hardness	As per mfg	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

SLAB LAYING


Tools suggested for Laying



3mm & 10mm trowel




Rubber trowel & Spacers



Device for plate's pulling over and Leveling wedges & clips

SLAB LAYING INSTRUCTIONS


Check the laying substrate. Make sure it is clean, mature, and homogeneous with no cracks.




Apply adhesive onto the back of the slab with a 3mm trowel in one direction only.




Apply adhesive onto the floor substrate at the same time while applying on the slab with a 15mm U-notch or 19mm V-notch trowel in the same direction as the slabs.




Position the slab on the adhesive bed with a sucker frame with adjustment of a minimum of 3mm joint.



Tap the slab from the center to the edges with a rubber trowel to expel air. Make sure air is expelled and there is no bubble between the slab and the substrate.



Complete the laying of the slab with a suitable sealant while keeping a 3mm joint through spacers. The special device of pulling over the slabs can be used for easy laying and spacing.



Level the wedges at each linear meter of the slab.

SIZE	THICKNESS (approx.)	PIECES / BOX	AREA / BOX	WT. / BOX (approx.)
1200x1800mm	9mm	2 pcs.	4.32 sq. mtr.	92 kgs.

PACKING
DETAIL

monolith

VOGUSH SURFACES

Khokhara Road, Near Hanuman Temple,
At Bela, Morbi, INDIA

e. info@monolithsurfaces.com
w. monolithsurfaces.com